



LEFT ELEVATION




FRONT ELEVATION



RIGHT ELEVATION

QTY. BOLT DOWN LOCATIONS: 94
 SOME ANCHORS ARE NOT PLACED
 ON 6" ON CENTER TO ALLOW
 CLEARANCE OF STRUCTURAL
 SUPPORTS.



SHELTER LAYOUT

APPROVED	
_____ CUSTOMER APPROVAL	
_____ DATE	

STORM SHELTERS: TORNADO & HURRICANE SAFE ROOMS

SECURALL STORM SAFE ROOMS ARE BUILT IN ACCORDANCE WITH SPECIFICATIONS SET FORTH BY FEMA, THE NATIONAL STORM SHELTER ASSOCIATION (NSSA), AND THE INTERNATIONAL CODE COUNCIL (ICC).

THESE ORGANIZATIONS ARE CURRENTLY THE LEADING AUTHORITIES ESTABLISHING GUIDELINES DICTATING THE DESIGN AND BUILD OF STORM SHELTERS. OUR SHELTERS COMPLY WITH THE RECOMMENDATIONS ESTABLISHED IN THE DOCUMENTS: FEMA 320 - TAKING SHELTER FROM THE STORM (WRITTEN IN CONJUNCTION WITH TEXAS TECH'S WIND ENGINEERING RESEARCH CENTER) AND ICC-500.

COLOR: GRAY

This document and all information herein is proprietary and shall not be disclosed outside your organization, nor shall it be duplicated, used or disclosed for purposes other than as permitted under written agreement with Securall Products.

DESIGN	DATE	A & A SHEET METAL PRODUCTS, INC. LA PORTE, INDIANA 46350	
SS	05/15/09	SERIAL NO.	SUB-DIR.
CHECKED	DATE	905027-3	BUILDINGS
SALES REP	DATE	TITLE CUSTOMER DRAWING	
CHIEF ENG	DATE	PART NUMBER	REVISION
MANUFACT.	DATE	TS18	
SCALE		Not To Scale	SHEET NUMBER
			1 of 1